GEOLOGICAL JOURNAL
Geol. J. **42**: 567 (2007)

AUTHOR INDEX

Aguirre-Urreta, B., 111
Aguirre-Urreta, M. B., 143

Ballent, S. C., 113
Barclay, W. J., 1
Barettino, D., 547
Batten, D. J., 391
Battiau-Queney, Y., 1
Belolyubsky, I., 477
Berry, C. M., 339
Bonini, M., 455
Bulot, L. G., 143

Carls, P., 499
Chen, Z. Q., 371
Chuankui, L., 415
Chuanming, Z., 229

Del Ventisette, C., 455
Diekmann, B., 477

Evans, D. H., 25

Fernández, M., 203

Gang, L., 391
García, M. J., 547
Gasparini, Z., 111, 185
Göktaş, F., 85
Goldman, D., 315
Guoxiang, L., 431
Guwei, X., 229

Hampson, G. J., 513
Hillier, R. D., 55
Hladil, J., 499
Hong, H., 263
Honghe, X., 339

Jaillard, E., 143
Jerrett, R. M., 513
Jiayu, R., 225, 431
Jin, M., 415
Jingxun, Z., 371
Jinnan, T., 371
Junxuan, F., 431
Junye, M., 281

Kaya, O., 85

Lazo, D. G., 127
Lehmkuhl, F., 477
Llamas, J. F., 547
López-Pamo, J. E., 547
Loydell, D. K., 531

Martin, J. E., 203
McFadden, K., 229
Miller, A. I., 431
Min, Z., 351
Montanari, D., 455
Mourgues, F. A., 143
Mutter, R. J., 213

Ortiz, J. E., 547

Parras, A., 185
Peiji, C., 391
Peiyun, C., 281
Popp, S., 477
Prokopiev, A., 477

Qiang, F., 339
Qun, Y., 281

Rahimpour-Bonab, H., 37
Rawson, P. F., 143, 175
Richter, M., 213
Salgado, L., 185
Sani, F., 455
Saraç, G., 85
Shariatinia, Z., 37
Shougang, H., 339
Shuhai, X., 229
Siegert, C., 477
Siemann, M. G., 37
Slavík, L., 499
Soler, V., 547
Somerville, I. D., 225
Spektor, V., 477
Stauch, G., 477

Torres, T., 547

Ünay, E., 85

Valenzuela-Ríos, J. I., 499

Walsh, P. T., 1
Wen-Jin, Z., 351
Wenwei, Y., 297
Whatley, R., 113
Williams, B. P. J., 55

Xiaoyan, S., 281
Xijun, N., 415
Xu, C., 315
Xunlai, Y., 229, 263

Yi, W., 339
Yuandong, Z., 315
Yuanqing, W., 415

Zhe, C., 263
Zhiqiang, Z., 297
Zhiyi, Z., 297

Copyright © 2007 John Wiley & Sons, Ltd.

GEOLOGICAL JOURNAL
Geol. J. **42**: 568–569 (2007)

KEYWORD INDEX

Acanthodii, 213
acritarchs, 229
Aegean Arc, 85
alluvial fan, 55
ammonites, 143, 175
analogue modelling, 455
Anglo-Welsh Basin, 55
Antarctica, 203
Argentina, 113, 127, 175
Arthropoda, 281

Barrandian area, 499
biodiversification, 351
biomarkers, 547
biomineralization, 263
biostratigraphy, 143
Bivalvia, 127

calcrete, 55
carbon, 531
carbon isotope, 371
causes, 297
cephalopods, 25
Chañarcillo Basin, 143
China, 351, 415
Cloudina: Sinotubulites, 263
conchostracans, 391
conglomerate, 55
conodont, 531
conodont biostratigraphy, 499
Conotubus, 263
correlations, 143

delta, 513
devastation, 371
Devonian, 55
diversification patterns, 315
diversity, 339
Doushantuo Formation, 229
dryland rivers, 55

Early and Mid Ordovician, 315
Early Cretaceous, 175
early Mesozoic, 431
Early Miocene, 85
Early Triassic, 371
early vertebrates, 351
East Asia, 391
Ediacaran, 229
Ellesmerocerida, 25
endemism, 203
evolution, 391
extension, 85
extinction, 531

faunal shift, 351
fin spines, 213

Gaskiers glaciation, 229
geochemistry, 37
Gondwana, 213
graptolite, 531
graptolites, 315
Guadalquivir marshlands, 547
guild-structure, 127
gypsum, 455

halite, 37
heavy minerals, 477
Holocene, 547

Iran, 37
isotopes, 531

Late Cretaceous, 185, 203
late Mesozoic, 391
late Mid Devonian, 339
lateral slab segmentation, 85
latest Proterozoic, 431
Lower Cretaceous, 143
Lower Devonian, 499

magnetic susceptibility, 547
mammals, 415
marine biodiversity, 431
marine ecosystem, 371
marine evaporite, 37
Marinoan glaciation, 229
Messinian salinity crisis, 455
Metazoa, 281
mid-Palaeozoic, 351
Middle-Late Permian, 213
migration, 391
migrations, 175
Millstone Grit, 513
Miocene, 37
molecular clock, 281
molecular palaeontology, 281
mosasaur, 203

Namurian stratigraphy, 1
Neogene uplift, 1
Neuquén Basin, 143, 175
New Zealand, 203
North Wales, 513
Northern Apennines, 455
NW Europe, 175

Old Red Sandstone, 55
Ordovician, 25
Ordovician radiation, 297
Orthocerida, 25
Ostracoda, 113
Outlier, 1

palaeobiogeography, 127
palaeoenvironment, 477, 547
palaeogeography and
palaeoclimatology, 339
palaeosubduction, 85
Palaeozoic, 431
palaeozoogeography, 113
Paleogene, 415
passive-roof duplex, 455
Patagonia, 185
patterns, 297
Perú, 25

Copyright © 2007 John Wiley & Sons, Ltd.

phylochronology, 281
Plesiosauria, 185
Pragian Stage, 499
pre-Cathaysian floras, 339
predation pressure, 263
processes, 297

Quaternary, 477

radiation, 391, 415
restoration, 371
rodents, 85
Rostrocytheridea, 113

scales, 213
sea level, 531
sediment provenance, 477
sequence stratigraphy, 513
Siberia, 477
Silurian, 531
skeletonization, 263
solution subsidence landforms, 1
South America, 143
South China, 229, 297, 315, 371, 431
Spain, 547
Spanish Central Pyrenees, 499
stratigraphic boundary, 371
stratigraphic correlation, 499
synonymy, 203
syntectonic erosion, 455
systematics, 113

taxonomy, 127
tectonic basins, 1
Teresina Formation, 213
terminal Neoproterozoic, 263
trilobites, 297

Upper Jurassic-Cretaceous, 113

Valanginian-Hauterivian, 127
Variscan structures, 1
Vena del Gesso, 455
Verkhoyansk Mountains, 477

West Anatolia, 85

Xichong flora, 339

Yeadonian, 513

Copyright © 2007 John Wiley & Sons, Ltd.

GEOLOGICAL JOURNAL

CONTENTS

Volume 42, Issues 1–5

Issue No. 1, January 2007

The Cwm Llwyd Outlier, Carmarthenshire, South-West Wales – Britain's deepest karstic subsidence or Variscan pull-apart structure?: P. T. Walsh, W. J. Barclay and Y. Battiau-Queney 1

A Middle Ordovician cephalopod fauna from Cuzco Province, southern Perú and its palaeobiogeographical significance: D. H. Evans 25

Origin and geochemistry of Miocene marine evaporites associated with red beds: Great Kavir Basin, Central Iran: H. Rahimpour-Bonab, Z. Shariatinia and M. G. Siemann 37

The Ridgeway Conglomerate Formation of SW Wales, and its implications. The end of the Lower Old Red Sandstone?: R. D. Hillier and B. P. J. Williams 55

Early Miocene stratigraphy of Central West Anatolia, Turkey: implications for the tectonic evolution of the Eastern Aegean area: O. Kaya, E. Ünay, F. Göktaş and G. Saraç 85

Issue No. 2, April 2007

Mesozoic Marine Biota from Western Gondwana
Editors: Beatriz Aguirre-Urreta and Zulma B. de Gasparini

Special Issue Articles
Preface: Mesozoic Marine Biota from Western Gondwana: Evolution and Palaeobiogeography: B. Aguirre-Urreta and Z. Gasparini 111

The Distribution of the Gondwanine Ostracod *Rostrocytheridea* Dingle: Palaeozoogeographical Implications: S. C. Ballent and R. Whatley 113

Early Cretaceous Bivalves of the Neuquén Basin, West-central Argentina: Notes on Taxonomy, Palaeobiogeography and Palaeoecology: D. G. Lazo. 127

The Lower Cretaceous Chañarcillo and Neuquén Andean Basins: Ammonoid Biostratigraphy and Correlations: M. B. Aguirre-Urreta, F. A. Mourgues, P. F. Rawson, L. G. Bulot and E. Jaillard 143

Global Relationships of Argentine (Neuquén Basin) Early Cretaceous Ammonite Faunas: P. F. Rawson. 175

Late Cretaceous Plesiosaurs from Northern Patagonia, Argentina: Z. Gasparini, L. Salgado and A. Parras 185

The Synonymy of the Late Cretaceous Mosasaur (Squamata) Genus *Lakumasaurus* from Antarctica with *Taniwhasaurus* from New Zealand and its Bearing Upon Faunal Similarity within the Weddellian Province: J. E. Martin and M. Fernández 203

Research Article
Acanthodian Remains from the Middle-Late Permian of Brazil: R. J. Mutter and M. Richter 213

Issue No. 3-4, June 2007

Origins and Radiations in the Biota of China Part II
Editors: Rong Jiayu and Ian D. Somerville

Preface: Origins and Radiations in the Biota of China Part II: R. Jiayu and I. D. Somerville 225

The Diversification and Extinction of Doushantuo-Pertatataka Acritarchs in South China: Causes and Biostratigraphic Significance: Z. Chuanming, X. Guwei, K. Mcfadden, X. Shuhai and Y. Xunlai 229

The Advent of Mineralized Skeletons in Neoproterozoic Metazoa—New Fossil Evidence from the Gaojiashan Fauna: H. Hong, C. Zhe and Y. Xunlai 263

Phylochronology of Early Metazoans: Combined Evidence from Molecular and Fossil Data: Y. Qun, M. Junye, S. Xiaoyan and C. Peiyun 281

Patterns, Processes and Likely Causes of the Ordovician Trilobite Radiation in South China: Z. Zhiyi, Y. Wenwei and Z. Zhiqiang 297

Diversification Patterns of Early and Mid Ordovician Graptolites in South China: Z. Yuandong, C. Xu and D. Goldman 315

The Xichong Flora of Yunnan, China: Diversity in Late Mid Devonian Plant Assemblages: W. Yi, C. M. Berry, H. Shougang, X. Honghe and F. Qiang 339

Diversification and Faunal Shift of Siluro-Devonian Vertebrates of China: Z. Wen-Jin and Z. Min 351

Early Triassic Carbon Isotope Excursions from South China: Proxies for Devastation and Restoration of Marine Ecosystems Following the End-Permian Mass Extinction: T. Jinnan, Z. Jingxun and C. Z.Q. 371

Evolution, Migration and Radiation of Late Mesozoic Conchostracans in East Asia: C. Peiji, L. Gang and D. J. Batten 391

Major Events of Paleogene Mammal Radiation in China: W. Yuanqing, M. Jin, N. Xijun and L. Chuankui 415

Dynamic Patterns of Latest Proterozoic-Palaeozoic-Early Mesozoic Marine Biodiversity in South China: R. Jiayu, F. Junxuan, A. I. Miller and L. Guoxiang 431

Issue No. 5, November 2007

Passive-roof thrusting in the Messinian Vena del Gesso Basin (Northern Apennines, Italy): constraints from field data and analogue models: D. Montanari, C. Del Ventisette, M. Bonini and F. Sani 455

Sediment provenance of late Quaternary morainic, fluvial and loess-like deposits in the southwestern Verkhoyansk Mountains (eastern Siberia) and implications for regional palaeoenvironmental reconstructions: S. Popp, I. Belolyubsky, F. Lehmkuhl, A. Prokopiev, C. Siegert, V. Spektor, G. Stauch and B. Diekmann 477

Early Pragian conodont-based correlations between the Barrandian area and the Spanish Central Pyrenees: L. Slavík, J. I. Valenzuela-Ríos, J. Hladil and Peter Carls . . . 499

Sequence stratigraphy of the upper Millstone Grit (Yeadonian, Namurian), North Wales: R. M. Jerrett and Gary J. Hampson 513

Early Silurian positive $\delta^{13}C$ excursions and their relationship to glaciations, sea-level changes and extinction events: D. K. Loydell. 531

Organic matter accumulation during the Holocene in the Guadalquivir marshlands (SW Spain): J. E. Ortiz, T. Torres, J. E. López-Pamo, V. Soler, J. F. Llamas, D. Barettino and M. J. García 547

Author Index 567

Keyword Index 568

Volume Contents vii